



Pumps

Quietly and reliably adding
to a reputation for excellence

A new and enhanced range of quality
digital shower pumps ensuring effective
and discreet performance

AKW[®]
life. style. choice.

lifestyle
solutions for
inclusive living

Shower Pump Range

Digital shower pumps from AKW are the perfect solution for showering when gravity drainage can't be achieved. With 25 years of experience our range is not only easy to install, but also quiet in operation whilst providing reliability and high performance. All digital pumps are compatible with our innovative range of pumped wastes and trays.

Benefits:

- Quick and easy fitting
- Easily serviceable
- Efficient debris clearing
- Virtually silent in operation

M11

For electric showers

- 11lpm in a 'real life' scenario
- 15mm inlet & 22mm outlet connectors

M17

For electric and mixer showers

- 17lpm in a 'real life' scenario
- 22mm inlet & outlet connectors

M20

Ultimate performance for mixer and power showers

- 20lpm in a 'real life' scenario
- 22mm inlet & outlet connectors

Product Specification

- Quiet in operation
- Pump head uses 4 valves for good debris cleaning
- Superior performance
- Good pump accuracy when matched to shower flow
- Pump head can be rotated to allow flow in either direction
- Maximum outlet head 1.0m (39in)
- Maximum inlet head of 0.5m (19in)

- Maximum combined head and lift 1.5m (59in)
- Supply 230v AC 50Hz 73W
- IP45 rated and suitable to be installed in Zone 1 or Zone 2 of a shower room
- Internal TGA fuse
- Duty cycle 30 mins max on 50% duty
- Flow meter input
- Only shower waste pump range to be Kitemarked

Guarantee & Certification



KM507429

- BS EN 61558-1, BS EN 61558-2-6
- BS EN 60335-1, BS EN 60335-2-41
- BS EN 60529

- E MC Directive 89/336/EEC
- Low Voltage Directive 73/23/EEC

Pumped Waste Range

Silentflow+®

The SilentFlow+® waste pump is a completely new design which is virtually silent in operation to reduce the noise associated with shower pumps and wastes.

- Noise level testing shows the Silent Flow+® is comparable with the nearest competitors 'quiet' pumped waste at up to 11LPM and outperforms above 11LPM
- Can be connected to all pumps in the current range
- Integrated 22mm John Guest fitting



PW50

50mm standard pumped waste. Issued as standard with both automatic and automatic mixer valve pump kits.

- Good seals and location
- Built-in filter
- Opens for easy cleaning and rodding
- 36mm deep below mounting surface = 15mm
- 44mm deep below mounting surface = 22mm
- 15mm & 22mm John Guest Speedfit outlets available



PW90

90mm diameter pumped waste. Specially designed shallow pump gulley (for Mullen® & Keppel) with two baffle features that help to reduce the noise during showering cycles.

- Good seals & location
- Built-in filter
- 36mm deep below mounting surface
- Opens for easy cleaning and rodding
- 36mm deep below mounting surface = 15mm
- 44mm deep below mounting surface = 22mm
- 15mm & 22mm John Guest Speedfit outlets available



PGTF

Tuff-Form pumped gulley (15mm or 22mm). Can be specified with any Tuff Form® former with vinyl floor covering.

- 15mm or 22mm outlet pipe versions available
- Opens for easy cleaning and rodding
- 15mm depth below tray = 35mm
- 22mm depth below tray = 44mm
- 22mm John Guest Speedfit outlets available



Screedmaster®

Screedmaster® pumped gulley. For use with graded floor installations with vinyl floor covering.

- Opens for easy cleaning and rodding
- 15mm & 22mm John Guest Speedfit outlet
- 32mm deep = 15mm outlet
- 37mm deep = 22mm outlet



Product Specification

Code	Description	Diameter	Depth Below Tray	Overall Depth	Patent
25414	Silentflow+® PGTF 22mm	200mm	51mm	55mm	GB 2373515
25405	PW50 15mm	80mm	38mm	50mm	GB 2375479
25122	PW50 22mm	80mm	44mm	56mm	GB 2375479
25406	PW90 15mm	110mm	36mm	58mm	GB 2375479
25105	PW90 22mm	110mm	44mm	66mm	GB 2375479
25123	PGTF 15mm	240mm	35mm	44mm	GB 2373515
25101	PGTF 22mm	240mm	44mm	52mm	GB 2373515
25407	Screedmaster 15mm	170mm	32mm	32mm	GB 2375479
25100	Screedmaster 22mm	170mm	37mm	37mm	GB 2375479



BS EN ISO 9001:2000 Cert No. 7878
Shower and bathroom equipment



Orderline

01905 823299

General enquiries

01905 823298

Website

www.akw-ltd.co.uk

Fax

01905 823297

Quotes & orders email

orders@akw-ltd.co.uk

Enquiries email

sales@akw-ltd.co.uk

AKW

Pointon Way
Hampton Lovett
Droitwich Spa
WR9 0LR

Nationwide despatch

Technical

01905 560219
technicalenquiries@akw-ltd.co.uk



AKW[®]
life. style. choice.

lifestyle
solutions for
inclusive living



UK mainland only. AKW stock most products featured in this brochure.
Layout and content ©2013 AKW Medi-Care Limited.
Designed by Wyatt International Ltd. Printed in England.
V1 January 2013.



Use QR reader